




ALL SEASONS
COMFORT



NICE
GUILLOTINE

*Otvorite prozor prema
bilo kojem pogledu na
svijet.*

LUXAL
OUTDOOR LIVING SYSTEMS



NICE GUILLOTINE



Single Glass (8mm tempered) : $H_{(max)} = 350 \text{ cm}$
 $W_{(max)} = 420 \text{ cm}$
 Double Glass (4+8+4mm tempered) : $W_{(max)} = 380 \text{ cm}$

Nice Guillotine je sistem vertikalnog uvlačenja prozora koji je pogodan za pokrivanje otvora zgrade, posebno kada je potrebna ušteda prostora.

Prozor Nice Guillotine vertikalno je klizni, daljinski upravljani sistem kretanja koji obećava da će vam ponuditi jedinstveni pogled na nebo. Cilj ove serije je maksimiziranje veličine i otvora modernih arhitektonskih struktura.

Kombinacija tankih aluminijskih okvira profila sa staklom rezultira iznenađujućom i jedinstvenom elegancijom sistema, pružajući maksimalnu prozirnost i izvrsne performanse.

Radi s izuzetno jednostavnom logikom mehaničke poluge, a električnim motorom koji osigurava minimalnu potrošnju energije može se upravljati daljinskim upravljačem. Aluminijski okviri sistema pružaju mogućnost brtvljenja prozora.

Lijepi prozori Giyotin nude potpuno prilagodljive kombinacije više ploča i beskraje opcije boja u svim RAL bojama ili eloksiranom aluminijumu.

Nice Guillotine is a vertical retracting windows system which is suitable for the coverage of a building opening, especially when saving space is required.

The Nice Guillotine window is a vertically sliding, remotely controllable motion system that promises to offer you unique views of the skyline. This series aims to maximize the size and openings of modern architectural structures.

The combination of thin aluminum profile frames with glass results in the system's surprising and unique elegance, providing maximum transparency and excellent performance.

It works with an extremely simple mechanical lever logic and the electric motor that provides minimum energy consumption can be controlled by remote control. The aluminum frames of the system provide sealing capability to the window.

Nice Giyotin window profiles offer fully customizable multi-panel combinations and endless color options in all RAL colors or anodised aluminum.

1ST CLASS
ALUMINIUM SYSTEMS

ISO
9001
Registered Quality
System

QUALICOAT
QUALIDECO
QUALANOD

QUALITY LABEL
Qualanod
ARCHITECTURE

CE



Testirana otpornost ekstenzivnog izlaganja suncu. Ovjereni zaštitni od štetnog ultraljubičastog zračenja.

Tested resistance of extensive exposure to the sun. Certified protection from harmful ultraviolet radiation.




Sposobnost električnog kretanja i daljinskog upravljanja.

Capability of electrical motion and remote control.



Veliki otpor na vremenske uvjete kiše, vlage snijega i vjetrova.

Great resistance to weather conditions of rain, snow humidity and wind.



Jednostavnost upotrebe

Bilo bežično ili ožičeno, otvaranje uređaja pritiskom na dugme.

Rad sistema

Motorizovan rad preko cjevastog motora. Stakla se pomiču vertikalno ili prema gore ili prema dolje i parkiraju iza fiksnog okna.

Sigurnost

Skriveni kanali za odvodnju i napajanje

Materijali

6063 t5 aluminij, nehrđajući čelik

Specifikacije motora

24vdc motor (niskonaponski) dodatni uzemljeni priključak otporniji na električne udare.

Površina

Qualicoat, Qualideco i Qualanod certificirani farbanj, anodizirani i anodizirani proizvodi s drvetom garantuju 10 godina.

Ease of use

Either wireless or wired operation, opening the device at the touch of a button.

System Operation

Motorized operation via tubular motor. The panes are slid vertically either upwards or downwards, and parked behind a fixed pane.

Safety

Hidden drainage and power channels

Materials


6063 t5 aluminum, stainless steel

Motor specifications

24vdc motor (low voltage) additional earthed connection more resistant to electric shocks.


Surface

Qualicoat, Qualideco and Qualanod certified painted, wood-patterned and anodized products are guaranteed for 10 years.




Zatvoreni sistem

Close Mode



Poluotvoreni sistem

Semi-Open Mode




Otvoreni sistem

Open Mode

LUXAL

OUTDOOR LIVING SYSTEMS



LUXAL Outdoor Living Systems

BIH OFFICE : Radnička bb 71000 Sarajevo-BIH

M: +387 33 764 280-281

info@luxal.ba

www.luxal.ba